



MLVH MINI AUTOFOG™

- * Automatic Chemical Application
- * Drastically Reduce Labor Costs
- * Low Volume Spraying
- * Treats up to 3,000 Sq Ft
- * Treats 5,000 Sq Ft with Additional Fans
- * 120 Volts 60HZ

Model: MLVH Autofog™

Chemical Tank Volume: 8 liters

Output Rate: 45cc/min

System Rated Load: 10.3 amp

Compressor HP: 3/4 hp

Compressor Output: 2.43 CFM @ 21 PSI

Cord Length: 4 ft

Dimensions: 10" wide

Shipping Weight: 83 lbs



SLVH AUTOFOG™

- * Automatic Chemical Application
- * Low Volume Spraying
- * Treats 12,000 Sq Ft
- * Treats 26,000 Sq Ft with Additional Fans
- * 120 Volts 60HZ
- * Separates for Portable Use

Model: SLVH Autofog™

Chemical Tank Volume: 7 liters

Chemical Output Rate: 45cc/min

System Rated Load: 11.1 amp

Compressor HP: 3/4 hp

Compressor Output: 2.43 CFM @ 21 PSI

Hose & Cord Length: 33 ft

Dimensions: 18.25" wide

Shipping Weight: 156 lbs



LVH AUTOFOG™

- * Automatic Chemical Application
- * Low Volume Spraying
- * Treats 30,000 Sq Ft
- * Treats 70,000 Sq Ft with Additional Fans
- * 240 Volts 60HZ
- * Separates for Portable Use

Model: LVH Autofog™

Chemical Tank Volume: 14 liters

Chemical Output Rate: 55cc/min

System Rated Load: 8 amp

Compressor HP: 1 hp

Compressor Output: 4.06 CFM @ 28.5 PSI

Hose & Cord Length: 100 ft

Dimensions: 18.25" wide

Shipping Weight: 187 lbs



CF20-150 COLDFOGGER™

- * Targeted, Low Volume Chemical Application
- * Drastically Reduce Labor Costs
- * Low Volume Spraying
- * 120 Volts 60HZ
- * BIGFOOT™ Option Available

Model: CF20-150

Chemical Tank Volume: 70 liters

Chemical Output Rate: 1 liter/min

System Rated Load: 7.8 amp

Cord Length: 4 ft

Dimensions: 20" wide

Shipping Weight: 97 lbs


*Items listed in our catalog are a sampling of products available from a specific vendor.
A full line of products is available.*

Please contact your sales representative for details and more information.

Model: MS20-33 or MS20-100
Chemical Tank Volume: 20 gallon
Chemical Output Rate: up to 0.5 gpm
Maximum Pressure: up to 500 psi
Compressor HP: 1/4 hp electric
Drive System: direct drive
Hose Length: 33 ft or 100 ft (MS20-100)
Dimensions: 20.5" wide x 36.5" length
Shipping Weight: 97 lbs

MS20 SPRAYER

48-031 MSO Heavy Duty Sprayer with cart, 100' spray hose, trigger gun, tank and hose reel
 * Multi-Purpose Hydraulic Sprayer
 * Multi-Position Reel Placement
 * Applies Most Chemical Formulations
 * Corrosion-Resistant Pump
 * 120 Volts 60HZ
 * BIGFOOT™ Option Available



Model: MSO
Chemical Tank Volume: not included
Chemical Output Rate: up to 0.5 gpm
Maximum Pressure: up to 500 psi
Compressor HP: 1/4 hp electric
Drive System: direct drive
Cord Length: 8 ft
Spray Distance: stream: 20' • mist: 10'
Shipping Weight: 28 lbs

MSO SPRAYER

* Multi-Purpose Hydraulic Sprayer
 * Applies Most Chemical Formulations
 * Corrosion-Resistant Pump
 * 120 Volts 60HZ
 * 33' Hose



Model: MS-TG MSO Trigger Gun
Feature: adjustable trigger 0.5 gpm
Max. Pressure: 500 PSI
Volume: 0.5 gpm

MS-TG

* Forward momentum for greater turbulence
 * Easy pattern adjustment
 * Even coverage
 * Turbulent spray



K-10 PULSFOG™



* Greenhouse
 * 25 Horsepower
 * Portable
 * 1 Nozzle

K-22 PULSFOG™



* Greenhouse
 * 50 Horsepower
 * Portable
 * 1 Nozzle

K-30 PULSFOG™



* Greenhouse
 * 101 Horsepower
 * Portable
 * 2 Nozzles

Model Number: K-10
Weight Empty: 18 lbs
Output Time: 10L/45 min
Distance Chem Propelled w/VK I: 100 ft
Distance Chem Propelled w/VK II: 45 ft
Chem Tank Capacity: 10 liters
Chem Tank Capacity: 2.6 gallons
Fuel Tank Capacity: 2 liters/0.5 gal

Model Number: K-22
Weight Empty: 18 lbs
Output Time: 10L/30 min
Distance Chem Propelled w/VK I: 160 ft
Distance Chem Propelled w/VK II: 65 ft
Chem Tank Capacity: 10 liters
Chem Tank Capacity: 2.6 gallons
Fuel Tank Capacity: 2 liters/0.5 gal

Model Number: K-30
Weight Empty: 25 lbs
Output Time: 10L/15 min
Distance Chem Propelled w/VK I: 200 ft
Distance Chem Propelled w/VK II: 100 ft
Chem Tank Capacity: 10 liters
Chem Tank Capacity: 2.6 gallons
Fuel Tank Capacity: 2 liters/0.5 gal

For best results, PulsFog requires the use of carrier solutions. Dramm carries 3 solutions: VK I, VK II, & NutriFOG.



HYDRA™

- * High Volume Hydraulic Sprayer
- * 50 Gallon Tank on Mobile Cart
- * Applies Most Chemical Formulations
- * Variety of Droplet Sizes & Spray Distances
- * 115 Volts or 220 Volts 60 HZ
- * 250' 3/8" Hose Option
- * BIGFOOT™ Option Available

Model: HYDRA

Chemical Tank Volume: 50 gallons

Chemical Output Rate: up to 3.8 gpm

Maximum Pressure: up to 500 psi

Pump HP: 1.5 hp electric

System Rated Load: 18 amp or 9 amp

Hose Length: 150 ft w/variable drag reel

Dimensions: 27" wide

Shipping Weight: 315 lbs



HYDRA SPRAYTRAX 50-electric or gas

- * High Volume Hydraulic Sprayer
- * 50 Gallon Tank on Self Tracking Cart
- * Applies Most Chemical Formulations
- * Variety of Droplet Sizes & Spray Distances
- * 115 Volts or 220 Volts 60 HZ
- * 5.5 hp Honda Gas Engine
- * also available in a 100 gallon tank model Hydra Spraytrax 100

Model: HYDRA-ST50 or HYDRAG-ST50

Chemical Tank Volume: 50 gallons

Maximum Pressure: up to 500 psi

Pump HP: 1.5 hp electric - 3.8 GPM

5.5 Honda gas - 7.6 GPM

Hose Length: 250 ft w/variable drag reel

Dimensions: 34" wide

Shipping Weight: 400 or 408 (gas) lbs



HYDRASKID™

- * High Volume Hydraulic Sprayer
- * Applies most chemical formulations
- * Variety of droplet sizes & spray distances

Model: HYDRA-SKID

Chemical Tank Volume: 100 gallons


Chemical Output Rate: up to 7 gpm

Maximum Pressure: up to 500 psi

Pump HP: 5.5 hp Honda gas

Hose Length: 2- 250' w/variable drag reels

Dimensions: 22" wide



BP-4 BACKPACK SPRAYER

- * Swapable Battery
- * Even, Constant Spray
- * Apply All Formulations of Chemicals
- * Great for Growth Regulators
- * No Hand Pumping- Tank Not Pressurized
- * Fine Mist to Straight Stream Output
- * Padded Shoulder Straps & Back Rest
- * L5-E Lance Available

Model: BP-4QCB

Tank Volume: 4 gallons

Chemical Output Rate: Max. 1 gal/min

Power Supply: 12v DC; rechargeable

Length of Charge: 2 hrs

Weight when Full: 40 lbs

Shipping Weight: 15 lbs

***Charge Time: 2 hrs

Dramm Corporation manufactures and distributes a complete line of professional greenhouse tools and equipment throughout the world. It is the most respected name within the industry. Please call for help in selecting the right Dramm equipment for your needs.

Items listed in our catalog are a sampling of products available from a specific vendor. A full line of products is available. Please contact your sales representative for details and more information.



SIEBRING KRUSER & KRUSER WITH HOSE REEL

Features:

- * Up to 750 psi of pressure
- * 1.5 gpm flow rate
- * CAT pump
- * Direct drive
- * 25' electrical cord
- * 10" pneumatic tires
- * 25 gallon poly tank

General Options:

- * Any hose length you want
- * Hose reel
- * Electric pump standard or gas option

Design Features:

- * Bottom tank drain
- * Sump in the tank that recirculates for maximum mixing
- * Includes a mist nozzle assembly
- * 18" wand
- * High pressure gun

Warranty:

- * One year on all parts



SIEBRING MIST 'R DRENCH

- * Can be used as a high pressure washer - fully adjustable pressure up to 800 psi
- * Uses a ceramic plunger pump which does not use cups that may be affected by harsh chemicals
- * High quality 100', 3/8" wire braided hose standard
- * Constant agitation for thorough mixing
- * Two guns, quick coupled - easy to move from spray to drench and back
- * Versatile power supply of gasoline, electric or battery (220 amp. hr., 24 volt)
- * Direct drive pump provides 3 gpm
- * Easy roll solid rubber tires for use on gravel or concrete
- * Ball bearing mounted hose reel holds up to 200' of hose with brake - electric reel optional
- * One year warranty on all parts



Note: All units can be gas or electric.

SIEBRING FOX SPRAYER

The trademark of the Fox is high maneuverability. Its 22" width makes it ideal for tight aisles in greenhouses. The Fox offers 800 psi and a 35 gallon complete drain tank with 3 gpm output. It has quick adjust pressure control, a fluid filled gauge and an easy reach gun storage rack. All fittings are quick coupled for ease and speed of change. The Fox has the quality CAT pump and easy ride 10" solid rubber. It comes with 2 guns for drench or spray, a mist nozzle for high or low pressure spray applications, one drenching water breaker screen nozzle, two 18" wands and one 12" wand. In addition, a curved wand for watering hanging baskets or spraying under the bench is included. A back flush hose connector for easy cleaning of the pump and hoses and two high-pressure washing nozzles are standard equipment. The Fox comes with a hose reel and 100' of hose. The reel capacity is 200'. It also includes 12' of electrical cord. The Fox, like the Kruser and the Mist 'R Drench, can be used for pesticide and growth regulator application, sanitation and disinfection of floors, benches and pots and tree and lawn spraying. It also can be used as a high-pressure washer.



MAG 1 GOLD SPRAY GUN



Multi-purpose spray gun. Excellent for tree and shrub spraying, perimeter spraying or lawn spraying. Rated up to 800 psi.




Item No	Description
48-1252	Mag 1 Gold Spray Gun
	Mag 1 Nozzle (1-3 gpm)
	Mag 1 Nozzle (3-5 gpm)
	Mag 1 Repair Kit #2

JD9 SPRAY GUN



Quickly and easily adjusts from a fine mist to a long distance pencil-like stream; effective for virtually any operation. Ruggedly built and precision machined. Designed for all-day use, day in and day out. Crafted for comfortable use. Comes with trigger lock for continuous spraying and drip free shut-off. Wide choice of tips and nozzles, heavy duty root feeder attachment and accessory fittings allow you to use Hudson and Spraying Systems wands and nozzles.



Item No	Description
48-1226	JD9-C Spray Gun

ROOT FEEDER



Ruggedly built soil injector features:

- * Chrome-plated adjustable handle and foot plate
- * Ideal for pressure root feeding from 2 to 10 inches deep
- * 2-hole tip included . . . other optional tips available
- * 18 and 36 inch extensions available for ground probing and other placement options



Item No	Description
48-1230	Root Feeder

MAG 2000 LAWN SPRAY GUN



The Mag 2000 is primarily used as a lawn spray gun due to its broadcast spray pattern. It can also be used as a spot sprayer to allow the operator to spot treat weeds while using the Mag 2000 to fertilize. This eliminates wasted herbicide in areas where spot treatments will work. A complete retro-fit to an existing sprayer system including dual hose and dual hose reel and herbicide sprayer with ShurFlo pump is available.



Item No	Description
48-1254	Mag 2000 Lawn Spray Gun
48-1255	Mag 2000 Nozzle (1-3 gpm)
48-1253	Mag 2000 Nozzle (3-5 gpm)



An Employee-Owned Company

SPRED RITE GRANULAR SPREADER

The Spred-Rite G can be used anywhere and is especially handy where you have to reach around or under things - trees, shrubs, poles or railings, for example. The swath width is adjustable from two inches to three feet, and the rate is easy to change by changing your walking speed, varying the swath width or by changing the orifice (three options provided).



Item No	Description
48-1247	Spred Rite Granular Spreader

Items listed in our catalog are a sampling of products available from a specific vendor. A full line of products is available. Please contact your sales representative for details and more information.



421S PORTABLE SPREADER SOLO

Agitator allows material to drop onto impeller evenly, improving uniformity of spread and eliminating blockages. Fully enclosed gear box with lubricated metal gears. 6" opening with screw-on cap.



Item No	Description
48-473	421S Portable Spreader Solo

430 2-G LIGHTWEIGHT TANK SPRAYER 2 GAL SOLO

The 430-2G has all Viton® seals. Adjustable Nozzle for spraying a steam to a mist; Flat Fan Nozzle for area and row application; Hollow Cone Nozzle for shrubs and bushes; and Jet Stream Nozzle for additional reach.



Item No	Description
48-430	430 2-G Lightweight Tank Sprayer 2 gal Solo

SPRAYER HANDHELD 1 GAL SOLO

These full featured consumer sprayers come in an economical package. They are perfect for the homeowner and ideal for general purpose spraying, gardening applications, and pest control. These sprayers feature durable 24" poly wand and shut-off valve assembly, 45" PVC hose, easy-to-fill funnel top, large pump handle with a built-in wand retainer, and a pressure relief valve. Plastic adjustable and flat nozzles included; T-jet compatible.



Item No	Description
48-405	Handheld Sprayer 1 gal Solo

425 JETPAK SPRAYER SOLO

High-density polyethylene tank. Large 4.25" opening for easy filling and cleaning. Shut-off valve and wand with an overall length of 28" for hard-to-reach places. Chemically resistant Viton® seals insure long life and durability. The 425® is capable of producing a wide pressure range of up to 90 psi. Easily and effectively handles disinfectants, fertilizers, herbicides, pesticides, and formulations for tree, shrub and plant protection.



Item No	Description
48-425	425 Jetpak Sprayer Solo

415 SPRITZER 1.5 LT HANDHELD SPRAYER SOLO

High-density polyethylene tank is UV resistant. Powered by a piston pump for easy pressurization. Chemically resistant seals allow safer use with many types of chemicals. High-quality nozzle is fully adjustable: from direct jet to fine mist. Locking trigger reduces user fatigue.



Item No	Description
48-415	415 Spritzer 1.5 Lt Handheld Sprayer Solo

Items listed in our catalog are a sampling of products available from a specific vendor. A full line of products is available. Please contact your sales representative for details and more information.