

Revision date : 2015/04/29 Version: 5.0 Page: 1/13 (30473283/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PYRETHRUM TR

Recommended use of the chemical and restriction on use Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Other means of identification

Substance number: EPA Register number: Synonyms:

414086 499-479 Pyrethrins + piperonyl butoxide

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Asp. Tox.	1	Aspiration hazard
Flam. Liq.	1	Flammable liquids

Revision date : 2015/04/29 Version: 5.0)	Page: 2/13 (30473283/SDS_CPA_US/EN)
Skin Corr./Irrit.	2	Skin corrosion/irritation
Muta.	1B	Germ cell mutagenicity
Carc.	1A	Carcinogenicity
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic
Flam. Aerosol	2	Flammable aerosols

Label elements	
Pictogram:	
v v v	
Signal Word:	
Danger	
Hazard Statement:	
H224	Extremely flammable liquid and vapour.
H223	Flammable aerosol.
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H350	May cause cancer.
H340	May cause genetic defects.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Precautionary Statemer	nts (Prevention):
P280	Wear protective gloves/protective clothing/eye protection/face
	protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other
	ignition sources. No smoking.
P201	Obtain special instructions before use.
P243	Take precautionary measures against static discharge.
P273	Avoid release to the environment.
P202	Do not handle until all safety precautions have been read and
D241	understood.
P241 P251	Use explosion-proof electrical/ventilating/lighting/equipment.
	Do not pierce or burn, even after use.
P211 P233	Do not spray on an open flame or other ignition source. Keep container tightly closed.
P233 P242	Use only non-sparking tools.
P242 P240	Ground/bond container and receiving equipment.
P264	Wash with plenty of water and soap thoroughly after handling.
1 204	
Precautionary Statemer	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or
	doctor/physician.
P370 + P378	In case of fire: Use extinguishing powder, foam or CO2 for extinction.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P391	Collect spillage.
P331	Do NOT induce vomiting.
	Take off conteminated elething and weak hofers revea

Precautionary Statements (Storage):

P362 + P364

Take off contaminated clothing and wash before reuse.

Revision date : 2015/04/29 Version: 5.0	Page: 3/13 (30473283/SDS_CPA_US/EN)
P405	Store locked up.
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C/ 122°F.
P403 + P235	Store in a well-ventilated place. Keep cool.
Precautionary Statemer P501	nts (Disposal): Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 2 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 2 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 66 % Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 69 - 70 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION: EXTREMELY FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. Moderately irritating to the eyes. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling. Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
8003-34-7	4.0 %	Pyrethrins
51-03-6	16.0 %	Piperonylbutoxide
64742-47-8	10.0 - 15.0 %	Distillates (petroleum), hydrotreated light
68476-40-4	50.0 - 75.0 %	Hydrocarbons, C3-4

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	<u>Chemical name</u>
8003-34-7	4.0 %	Pyrethrins
51-03-6	16.0 %	Piperonylbutoxide
64742-47-8	> 10.0 %	Distillates (petroleum), hydrotreated light
68476-40-4		Hydrocarbons, C3-4
	>= 70.0 %	Proprietary ingredients

Revision date : 2015/04/29 Version: 5.0

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Do not give solids or liquids.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Hazards: Vomiting may cause aspiration pneumonia due to the ingredients.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrocarbons

Aerosol container contains flammable gas under pressure. Pressure inside container is increased when heated, and may cause explosion. If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Revision date : 2015/04/29 Version: 5.0

Page: 5/13 (30473283/SDS_CPA_US/EN)

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability: May be kept indefinitely if stored properly.

Revision date : 2015/04/29 Version: 5.0 Page: 6/13 (30473283/SDS_CPA_US/EN)

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet. Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Pyrethrins	OSHA PEL ACGIH TLV	PEL 5 mg/m3;TWA value 5 mg/m3; TWA value 5 mg/m3;
Distillates (petroleum), hydrotreated light	ACGIH TLV	TWA value 200 mg/m3 Non-aerosol (total hydrocarbon vapor); Application restricted to conditions in which there are negligible aerosol exposures. Skin Designation Non-aerosol (total hydrocarbon vapor); The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal

Revision date : 2015/04/29 Version: 5.0 Page: 7/13 (30473283/SDS CPA US/EN)

protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour: Odour threshold:	aerosol characteristic, faint o	Not determined due to potential health
Colour:	yellow, clear	hazard by inhalation.
pH value:	approx. 5.5 - 7.5	(approx. 25 °C)
Melting point:	< -12 °C	Information applies to the solvent.
Boiling point:	approx12.6 0.5 °C	Information applies to the solvent.
Flash point:	approx. < -6 °C	(Tag closed cup)
Flammability:	Extremely flammable.	(calculated)
Flammability of Aerosol Products:	> 18 in	(ASTM D 3065
NFPA 30B flammability:		
	Level 3 Aerosol	
Lower explosion limit:	1.3 %(V)	(25 °C) (air) Information applies to the solvent.
Upper explosion limit:	8.3 %(V)	(air) Information applies to the solvent.
Vapour pressure:	< 0.133 hPa	(20 °C) Information applies to the solvent.
Density:	approx. 0.88 g/cm3	(20 °C)
Vapour density:	approx. 5.3	Information based on the main components.
Partitioning coefficient n-		not applicable
octanol/water (log Pow):	aarban maanavida aa	when disvide
Thermal decomposition:	carbon monoxide, ca	nperature. If product is heated above
	decomposition tempe	erature toxic vapours may be released. To position, do not overheat.
Viscosity, dynamic:	approx. 1.82	(approx. 25 °C)
	mPa.s	
Solubility in water:		immiscible
Evaporation rate:	16	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Revision date : 2015/04/29 Version: 5.0 Page: 8/13 (30473283/SDS CPA US/EN)

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong oxidizing agents, aldehydes, amines, chlorinated products

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 5,000 mg/kg

Inhalation Type of value: LC50 Species: rat Value: > 5.63 mg/l

Dermal Type of value: LD50 Species: rabbit Value: > 2,000 mg/kg

Revision date : 2015/04/29 Version: 5.0

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

<u>Skin</u>

Species: rabbit Result: Slightly irritating. Prolonged contact with the product can result in skin irritation.

Eye

Species: rabbit Result: Slightly irritating. May cause slight irritation to the eyes.

<u>Sensitization</u> Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Species: guinea pig Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Genetic toxicity

Assessment of mutagenicity: May cause heritable genetic damage.

Teratogenicity

Information on: pyrethrum Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Piperonyl butoxide Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: 2-Propanol

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Information on: Distillates (petroleum), hydrotreated light Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Toxicity to fish

Revision date : 2015/04/29 Version: 5.0

Information on: pyrethrum LC50 (96 h) 0.0052 mg/l, Oncorhynchus mykiss (static) LC50 (96 h) 0.01 mg/l, Lepomis macrochirus

Information on: Piperonyl butoxide LC50 (96 h) 6.12 mg/l, Oncorhynchus mykiss (other)

Information on: 2-Propanol

LC50 (96 h) 9,640 mg/l, Pimephales promelas (EPA 72-1, Flow through.) The statement of the toxic effect relates to the analytically determined concentration. Literature data.

Information on: Distillates (petroleum), hydrotreated light

LL50 (96 h) 2 - 5 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic) The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Nominal values (confirmed by concentration control analytics)

Aquatic invertebrates

Information on: pyrethrum EC50 (48 h) 0.012 mg/l, Daphnia magna EC50 (48 h) 0.0014 mg/l, Mysidopsis bahia

Information on: Piperonyl butoxide EC50 (48 h) 0.51 mg/l, Daphnia magna (other)

Information on: 2-Propanol LC50 (24 h) > 10,000 mg/l, Daphnia magna (OECD Guideline 202, part 1, static) The details of the toxic effect relate to the nominal concentration.

Information on: Distillates (petroleum), hydrotreated light

EL50 (48 h) 1.4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

Information on: 2-Propanol Toxic limit concentration (7 d) 1,800 mg/l, Scenedesmus quadricauda (other, static) Literature data.

Information on: Distillates (petroleum), hydrotreated light

EL50 (72 h) 1 - 3 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No observed effect concentration (72 h) 1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. A saturated solution has been tested. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulative potential

Revision date : 2015/04/29 Version: 5.0

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT	
-------	--

2.1
UN 1950
2.1
AEROSOLS

Sea transport IMDG

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2 1
Marine pollutant:	NO
Proper shipping name:	AEROSOLS

Air transport

2.1
UN 1950
2.1
AEROSOLS, FLAMMABLE

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

Revision date : 2015/04/29 Version: 5.0

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories):

Acute; Chronic; Fire; Sudden release of pressure

ERCLA RQ CAS Num	CAS Number	Chemical name
1 LBS	8003-34-7	Pyrethrins

State regulations

State RTK	CAS Number	<u>Chemical name</u>
MA, NJ, PA	8003-34-7	Pyrethrins
NJ	51-03-6	Piperonylbutoxide
MA, NJ, PA	64742-47-8	Distillates (petroleum), hydrotreated light
NFPA Hazard codes:		

Health: 1 Fire: 4 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: EXTREMELY FLAMMABLE. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. May cause moderate but temporary irritation to the eyes. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/04/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our

Revision date : 2015/04/29 Version: 5.0 Page: 13/13 (30473283/SDS_CPA_US/EN)

commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE . IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET